

With many years of experience in the Synthetic Leather industry and use of the highest quality materials assures our colourants are right for you

Please contact us for pricing and further information - sales@vantaggio.us

www.vantaggio.us

Description

CN Wet Process Solvent borne series is specially developed only for Solvent borne resin Wet Process production of synthetic leather with brilliant colours, excellent dispersibility & resistance to fading in the coagulation tank.

Technical Specifications

Carrier: PU Resin

Particle Size: < 8 μm

Solvent: DMF

Colouring Power: 100 \pm 2-5%

Characteristics

- *Good miscibility with solventborne wet process resins*
- *Excellent resistance to fading and colour migration*
- *Stable and free of deposition and layer separation*
- *High concentration and high performance / cost ratio*

Typical Usage

First add colourant to DMF, mix well, add to resin followed by any additives, mix, filter and de-bubble before use.

This product is hygroscopic keep container tightly sealed and away from humidity
Store tightly sealed < 30°C - keep from freezing. Use within 6 months, stir before use.

Standard packing: 50kg / drum (nett weight)

























IMPORTANT NOTICE:

All colour shades presented are a guide only and are neither intended nor implied to be accurate representations of the actual colours due to limitations of printing processes and computer monitors .

We strongly recommend that before purchase and use of the product the buyer tests the product under conditions expected during use and or purpose so as to determine the suitability of the product for the particular intended application and or purpose.

Standard packing: 50kg / drum (nett weight)

www.vantaggio.us

Full Shade	Tint Shade	Light Fastness: 1 is least - 8 is Best		Resistance: 1 is least - 5 is Best					Notes:		
		Light Fastness	Environment Friendly	Temp	Acid	Alkaline	Solvent	Migration			
		Off White	CN5001	8	Yes	300°C	5	5	5	5	High-concentration strong hiding power
		Standard Black	CN5901	8	Yes	270°C	5	5	5	5	High-concentration strong hiding power
		Super Black	CN5902	8	Yes	250°C	5	5	5	5	Jet black good dispersibility
		Dark Black	CN5903	8	Yes	270°C	5	5	5	5	Suitable for Nubuck
		Lemon Yellow	CN5105	6	No	220°C	3	3	5	5	Lead chromate inorganic green hues strong hiding power
		Bright Yellow	CN5102	7	Yes	200°C	5	5	4	4	High transparency brilliant color
		Medium Yellow	CN5103	7	No	220°C	3	3	5	5	Chrome yellow high concentration strong hiding power
		Brilliant Yellow	CN5104	8	Yes	200°C	5	5	5	5	High transparency brilliant color, organic
		Yellow Ochre	CN5101	8	No	200°C	5	5	5	5	Yellow ferric oxide high concentration strong hiding power
		Orange	CN5701	8	Yes	180°C	4	5	5	5	High transparency brilliant color
		Biscuit	CN5501	8	No	220°C	5	5	5	5	Mixed colourant, ferric oxide, strong hiding power
		Bright Red	CN5202	8	Yes	200°C	5	5	5	4	Brilliant color, organic



Standard packing: 50kg / drum (nett weight)

www.vantaggio.us

Full Shade	Tint Shade	Light Fastness: 1 is least - 8 is Best		Resistance: 1 is least - 5 is Best					Notes:		
		Light Fastness	Environment Friendly	Temp	Acid	Alkaline	Solvent	Migration			
		Scarlet	CN5201	7	Yes	200°C	5	5	5	3	Brilliant organic colour
		Dark Red	CN5203	8	Yes	250°C	5	5	5	5	Brilliant organic colour
		Mauve	CN5208	8	Yes	250°C	5	5	5	5	Organic
		Rose	CN5205	8	Yes	250°C	5	5	5	5	Brilliant Colour
		Reddish Brown	CN5204	8	Yes	250°C	5	5	5	5	Ferric oxide high concentration strong hiding power
		Dark Brown	CN5802	8	No	250°C	5	5	5	5	Ferric oxide mix high concentration strong hiding power
		Brilliant Blue	CN5300	8	Yes	250°C	5	5	5	5	Phthalocyanine dye brilliant color
		Acid Blue	CN5302	8	No	250°C	5	5	5	5	Phthalocyanine dye
		Ultra-marine	CN5308	8	No	250°C	3	5	5	5	
		Super Green	CN5401	8	Yes	250°C	5	5	5	5	Phthalocyanine dye brilliant color
		Violet	CN5601	8	Yes	280°C	5	5	5	5	
		Organic Brown	CN5801	8	Yes	225°C	5	5	5	5	Transparent